improvements to road ... surrounding areas in ward no -02,03 & 04 of Yelahanka division

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Bharath
Mo. 9964702826

Samrudhi Ground Water Consultant

4, 2nd Main, 3rd Cross, L.N. Colony, Yashwanthapur, Bangalore-560 022

No.

Date : 05/05/23

REPORT ON GROUD WATER INVESTIGATION

1.	Name of the Customer Mr./Miss.	Acc. BBMP, Yelanka.
2.	Area	Balaji Layout
3.	Location	8th Cross Rd
4.	Condition of ground Water	Natural water
5.	Optimum Dia of the Borewell	6 1/2" inc
6.	Depth Recommended	1000 to 1200
7.	Approximate yield Expected	— 2" inc —
8.	Quality of Water	— Good —
9.	Approximate depth at which the water is expected to be met	450, 700, 1000
10.	Casing Expected Approximately	140 to 160
11.	Rain Water Harvesting advised or not	Yes.
12.	Remarks	— NO —

A.E.E.

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ.
ಬೆಂಗಳೂರು-106

Singature of the Deviner

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

improvements to road ... and surrounding areas in ward no -02,03 & 04 of Yelahanka division

--- THANK YOU ---

YELAHANKA

Receipt Number 7346045566111
Receipt Date 03-07-2023 11:44:20
Cash Counter BESCOM - C7 Rajanuk
Payor Account ID 7346045566
Person Name AEE BBMP
RR Number
Total Payment Rs12,650.00
(Including GST, If Applicable)
Mode of pay Draft
Cheque /DD No 311995
Bank Name CANARA BANK
Purpose Deposits
Non Revenue categ ZNNU-FEE
Twelve Thousand Six Hundred Thirty R
Only

IDEA

Y1N5-6867

ricity Supply Company Limited

72583/03-07-2023

B1412G1Z5

Office of
Assistant Executive Engineer
C7 YALAHANKA
BESCOM
DATE: 03-07-2023

To,
AEE BBMP,
6TH CROSS BALAJI LAYOUT
KENCHENAHALLI YELAHANKA
BANGALORE KARNATAKA
560064

Sir/Madam,

A.E.E.

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:632092203728 Dated: 22-06-2023
2) Account ID : 7346045566
3) Prevailing KERC regulations.

With reference to your Application No. **632092203728 Dated: 22-06-2023**, power supply to an extent of **0 KW** and **10 HP** on Account ID **7346045566** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

Account ID : 7346045566
Consumer Name : AEE BBMP

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Bharath
Mo. 9964702826

Samrudhi Ground Water Consultant

4, 2nd Main, 3rd Cross, L.N. Colony, Yashwanthapur, Bangalore-560 022

No.

Date : 05/05/23

REPORT ON GROUD WATER INVESTIGATION

1.	Name of the Customer Mr./Miss.	Aee. BBMP, Yelenka.
2.	Area	BHEL Layout
3.	Location	12th Cross Rd.
4.	Condition of ground Water	Natural water
5.	Optimum Dia of the Borewell	6 1/2 " dia
6.	Depth Recommended	1000 to 1200
7.	Approximate yield Expected	2" Gas
8.	Quality of Water	— Good —
9.	Approximate depth at which the water is expected to be met	700, 850
10.	Casing Expected Approximately	80 to 100
11.	Rain Water Harvesting advised or not	Yes.
12.	Remarks	— No —

A.E.E

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು

Singature of the Deviner

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ. ಸುಸ್ಥಿರ ಭವಿಷ್ಯಕ್ಕಾಗಿ.
Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

...and surrounding areas in ward no -02,03 & 04 of Yelahanka division

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/5651601592/03-05-2023

GSTIN Number: 29AACCB1412G1Z5

Office of
Assistant Executive Engineer
C9 VIDYARANYAPURA
BESCOM
DATE: 03-05-2023

To,
AEE BBMP,
12th cross BHEL LAYOUT
Chickbettahalli Yelahanka
BANGALORE KARNATAKA
560064

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:196946600523 Dated: 26-04-2023
2) Account ID : 9642769231
3) Prevailing KERC regulations.

With reference to your Application No. **196946600523 Dated: 26-04-2023**, power supply to an extent of **0 KW** and **10 HP** on Account ID **9642769231** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

and surrounding areas in ward no -02,03 & 04 of Yelahanka division

IDYARANYAPURA

eipt Number	964276931151
ciept Date	29-05-2023 12:21:08
sh Counter	BESCOM: Bengaluru C9 Subdivision Counter
ayor Account ID	9642769231
Person Name	AEE BBMP
RR Number	
Total Payment (Including GST, If Applicable)	Rs10,500.00
Mode of pay	Draft
Cheque /DD No	361953
Bank Name	THE BHARATH CO -OPERATIVE BANK LTD
Purpose	Deposits
Non Revenue category	2MMD-FEE

Ten Thousand Five Hundred Rupees Only

---------- THANK YOU ----------

C9 Bangalore

RR.NO.
C9/NS105

and surrounding areas in ward no -02,03 & 04 of Yelahanka division

IDYARANYAPURA

eipt Number	964276920205
ciept Date	26-04-2023 12:36:31
sh Counter	BESCOM: Bengaluru, C9 Subdivision Counter
ayor Account ID	9642769231
Person Name	AEE BBMP
RR Number	
Total Payment	Rs118.00
(Including GST, If Applicable)	
Mode of pay	Cash
Purpose	Non Revenue
Non Revenue category	REG-FEE

One Hundred and Eighteen Rupees Only

---------- THANK YOU ----------

...and surrounding areas in ward no -02,03 & 04 of Yelahanka division

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

ಸಮೃದ್ಧಿ

Smt. Kavitha Bharath
Mo. 9964702826

Samrudhi Ground Water Consultant

4, 2nd Main, 3rd Cross, L.N. Colony, Yashwanthapur, Bangalore-560 022

No.

Date : 05/05/23

REPORT ON GROUD WATER INVESTIGATION

1.	Name of the Customer Mr./Miss.	Aee, BBMP, Yelahanka.
2.	Area	G. Ramaiah Enclave
3.	Location	III rd Cross Rd.
4.	Condition of ground Water	Natural water.
5.	Optimum Dia of the Borewell	6 1/2 inch
6.	Depth Recommended	1000 to 1200
7.	Approximate yield Expected	2" Cusec
8.	Quality of Water	— Good —
9.	Approximate depth at which the water is expected to be met	850, 1000
10.	Casing Expected Approximately	80 to 100
11.	Rain Water Harvesting advised or not	Yes.
12.	Remarks	— No —

A.E.E.

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪವಿಭಾಗ.
ಬಿ.ಬಿ.ಎಂ.ಪಿ, ಬೆಂಗಳೂರು-106

Singature of the Deviner

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

...surrounding areas in ward no -02 03 & 04 of Varthur ...

...[illegible]

Receipt Number 710006989415
Receipt Date 28-05-2023 11:27:36
Counter BESCOM - C3 Sub Division
Office
Payer Account IW7100069700
Person Name AEE BBMP
RR Number
Total Payment Rs7,050.00
(Including GST, If Applicable)
Mode of pay Cash
Purpose Deposits
Non Revenue categ 2MMD-FEE
Seven Thousand Fifty Rupees Only

---------- THANK YOU ----------

RRNO C3WD520

BANGALORE ELECTRICITY SUPPLY COMPANY LTD

...ctricity Supply Company Limited

...53177430/27-04-2023

...CCB1412G1Z5

Office of
Assistant Executive Engineer
C3 JALAHALLI
BESCOM
DATE: 27-04-2023

To,
AEE BBMP,
3rd Cross Attur layout
JEE Ramaiah enclave Ward no 03
BANGALORE KARNATAKA
560064

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:316773811579 Dated: 24-04-2023
2) Account ID : 7100069700
3) Prevailing KERC regulations.

With reference to your Application No. **316773811579 Dated: 24-04-2023**, power supply to an extent of **5 KW** and **0 HP** on Account ID **7100069700** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

CONSULTANTS BANGALORE

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

ಸಮೃದ್ಧಿ

Smt. Kavitha Bharath
Mo. 9964702826

Samrudhi Ground Water Consultant

4, 2nd Main, 3rd Cross, L.N. Colony, Yashwanthapur, Bangalore-560 022

No.

Date : 05/05/23

REPORT ON GROUD WATER INVESTIGATION

1.	Name of the Customer Mr./Miss.	Aee. BBMP, Yelanka,
2.	Area	Synvik Vihar Layout.
3.	Location	7th main Rd.
4.	Condition of ground Water	Natural water
5.	Optimum Dia of the Borewell	6 1/2 Inc
6.	Depth Recommended	800 to 1000
7.	Approximate yield Expected	2 1/2 ins
8.	Quality of Water	— Good —
9.	Approximate depth at which the water is expected to be met	600, 680, 740
10.	Casing Expected Approximately	80 to 100
11.	Rain Water Harvesting advised or not	Yes.
12.	Remarks	— NO —

A.E.E.
ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ.
ಬೆಂಗಳೂರು-೫೬

Singature of the Deviner

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

provements to roads drains and other development works at Shivanahalli

CONSULTANTS BANGALORE

THANK YOU ----------

CANARA

Rcipt Number 54970142597[illegible]
Rciept Date 03-07-2023 11:44:20
Cash Counter BESCOM - C7 Rajanuk
Payor Account ID5497014525
Person Name AEE BBMP
RR Number
Total Payment Rs12,650.00
(Including GST, If Applicable)
Mode of pay Draft
Cheque /DD No 311993
Bank Name CANARA BANK
Purpose Deposits
Non Revenue categ ZBBD-FEE
Twelve Thousand Six Hundred Thirty R
Only

YWS 6868.

icity Supply Company Limited

829/03-07-2023

1412G1Z5

Office of
Assistant Executive Engineer
C7 YALAHANKA
BESCOM
DATE: 03-07-2023

To,
AEE BBMP,
7TH B MAIN ROAD SAINIK VIHAR LAYOUT
KENCHENAHALLI YELAHANKA
BANGALORE KARNATAKA
560064

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:871973490758 Dated: 22-06-2023
2) Account ID : 5497014525
3) Prevailing KERC regulations.

With reference to your Application No. **871973490758 Dated: 22-06-2023**, power supply to an extent of **0 KW** and **10 HP** on Account ID **5497014525** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

a. **Plinth area:**

A.E.E.

Account ID : 5497014525
Consumer Name : AEE BBMP

ಸಹಾಯಕ ಕಾರ್ಯ ಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ.
ಬೆ.ಐ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-106